

CONTENTS

EDITORIAL	v
MATERIALS ENGINEERING FORUM	
Detonation spraying of protective coatings	1
Y. A. Kharlamov (Voroshilovgrad, U.S.S.R.)	
Stage IV recovery in deformed tungsten	39
A. Szökefalvi-Nagy, G. Radnóczy and I. Gaal (Budapest, Hungary)	
Microstructure evolution during processing and superplastic flow in a high magnesium Al-Mg alloy.	45
E.-W. Lee (Warminster, PA, U.S.A.) and T. R. McNelley (Monterey, CA, U.S.A.)	
Mild wear of Al-Si binary alloys during unlubricated sliding	57
R. Antoniou and D. W. Borland (Melbourne, Victoria, Australia)	
The thermal fatigue behavior of near-eutectoid steel	73
A. Cabral (East Hartford, CT, U.S.A.), A. W. Thompson, I. M. Bernstein (Pittsburgh, PA, U.S.A.) and D. H. Stone (Chicago, IL, U.S.A.)	
Defect structure and mechanical behavior of β -LiIn	83
T. S. Huang and J. O. Brittain (Evanston, IL, U.S.A.)	
The mechanical behavior of β -LiAl	93
T. S. Huang and J. O. Brittain (Evanston, IL, U.S.A.)	
Dynamic recovery of polycrystalline silver	99
J. Gryziecki and Z. Gdula (Cracow, Poland)	
Demystifying flash temperatures	
I. Analytical expressions based on a simple model	107
D. Kuhlmann-Wilsdorf (Charlottesville, VA, U.S.A.)	
Demystifying flash temperatures	
II. First-order approximation for plastic contact spots	119
D. Kuhlmann-Wilsdorf (Charlottesville, VA, U.S.A.)	
Modelling intergranular cavity growth with special reference to the mechanism of coupled diffusion and power-law creep	135
J. Svoboda and J. Čadež (Brno, Czechoslovakia)	
Transient mechanical response of cyclically loaded copper to strain-rate changes	151
H. D. Chandler (Johannesburg, South Africa)	
Mechanisms of cyclic softening and cyclic creep in low carbon steel	159
H. F. Chai and C. Laird (Philadelphia, PA, U.S.A.)	
Creep behavior of Ni-Cr alloys with trace additions of cerium	175
G. Venkataraman and F. Cosandey (Piscataway, NJ, U.S.A.)	
Strain rate effects and associated deformation mode in a nickel-based alloy during low cycle fatigue testing	181
R. Rahouadj, J. Menigault and M. Clavel (Compiègne, France)	
Electron microscopy studies of precipitation processes in near-equiatomic TiNi shape memory alloys	191
M. Nishida and C. M. Wayman (Urbana, IL, U.S.A.)	
The effect of martensite ordering on shape memory effect in a copper-zinc-aluminium alloy.	205
Q. Xuan, J. Bohong and T. Y. Hsu (X. Zuyao) (Shanghai, China)	
Glass formation in mechanically alloyed transition metal-titanium alloys.	213
E. Hellstern and L. Schultz (Erlangen, F.R.G.)	
Hydrogen attack in a 3Cr-1.5Mo steel at elevated temperatures	217
S. Ruoff, D. Stone and C.-Y. Li (Ithaca, NY, U.S.A.)	
Formation of secondary austenite during α' - γ transformation in an Fe-Ni-Mn alloy.	227
J. Singh and C. M. Wayman (Urbana, IL, U.S.A.)	
Microstructure and stress-corrosion cracking relationship in an Al-Li-Cu-Zr alloy.	235
E. I. Meletis (Davis, CA, U.S.A.)	
CONFERENCE CALENDAR	247
LETTERS	
Guinier-Preston zones and the onset strain of serrated flow.	L1
E. Pink (Leoben, Austria)	

(continued on inside back cover)

Submission of papers

Manuscripts for the main part of the journal should be submitted to the Editor-in-Chief, Professor H. Herman, or for authors in Japan to Professor H. Kimura:

Professor Herbert Herman
Department of Materials Science and Engineering
State University of New York at Stony Brook
Long Island, NY 11794, U.S.A.

Professor Hiroshi Kimura
Research Institute for Iron, Steel and Other Metals
Tohoku University
Sendai, Japan

Manuscripts for the Letters Section should be submitted as follows:

For authors in Europe except Great Britain

Professor Haël Mughrabi
Institut für Werkstoffwissenschaften
Universität Erlangen-Nürnberg
Martensstrasse 5, D-8520 Erlangen, F.R.G.

For authors in Japan

Professor Hiroshi Kimura
Research Institute for Iron, Steel and Other Metals
Tohoku University
Sendai, Japan

For authors in North and South America,
Great Britain and the rest of the world

Professor Herbert Herman
Department of Materials Science and Engineering
State University of New York at Stony Brook
Long Island, NY 11794, U.S.A.

Manuscripts

Three copies should be submitted to the Editor, in double-spaced typing on pages of uniform size and with wide margins (Letters should not exceed 2000 words and a maximum of 5 figures). All tables and illustrations should bear a title or legend.

An *abstract* should accompany reviews, original papers and Letters. It should present (preferably in 100–150 words; 50 words or less for Letters) a brief and factual account of the contents and conclusions of the paper, and an indication of the relevance of new material.

References should be indicated by numerals in square brackets, introduced consecutively and appropriately in the text. References must be listed on separate sheet(s) at the end of the paper. Every reference appearing in the text should be quoted in the reference list, and vice versa.

One set of line drawings should be in a form suitable for reproduction, drawn in Indian ink on drawing or tracing paper (letter height, 3–5 mm). Photographs should be high contrast glossy black-and-white prints; duplicates of micrographs should be provided wherever possible to facilitate the refereeing process. Where magnifications are concerned, it is preferable to indicate the scale by means of a ruled scale bar on the photograph. Legends to illustrations should be typed in sequence on a separate page.

Authors must express all quantities in SI units, with other units in parentheses if desired.

CONTENTS (continued)

A cumulative flaw distribution function for predicting failure of glass	L5
K. K. Phani and A. K. Maitra (Calcutta, India)	
Superplastic behavior of Al-5wt.%Ca-5wt.%Zn alloy	L11
O. A. Ruano, P. Ramirez, F. G. Alday and H. E. Adabbo (Madrid, Spain)	
Accounting for the spall strength of ductile metals by the spherical cavity expansion analysis	L17
Z. Rosenberg (Haifa, Israel)	
AUTHOR INDEX	249
SUBJECT INDEX	251

